


Balance 20X









Balance 20X





Specifications

WAN Interface	1x 10/100/1000M Ethernet 1x Embedded Cellular Modem with Redundant SIM Slots 1x USB Interface	Antenna Connectors	2x SMA Cellular Connectors 2x RP-SMA Wi-Fi Antenna Connectors 1x SMA GPS Antenna Connector
	1x Expansion Module (Optional)	Power Input	Power Port: 10V – 30V DC
LAN Interface	4x 10/100/1000M Ethernet	Power Consumption	6.83 W (nominal, with FlexModule Mini LTEA) 28 W (max.)
Wi-Fi Interface	Simultaneous Dual-Band (2.4GHz / 5GHz) Wi-Fi 5	Dimensions	6.3 x 10.3 x 1.3 inches 160 x 262 x 33 mm
SpeedFusion Features	Hot Failover', WAN Smoothing', Bandwidth Bonding'	Weight	1.74 pounds / 0.67 kg
Number of PepVPN SpeedFusion Peers	2/5 ²	Operating Temperature	14° - 113°F / -10° - 45°C
Router Throughput	900Mbps	Humidity	15% – 95% (non-condensing)
PepVPN Throughput	100Mbps	Certifications	FCC, CE, RoHS
(No Encryption)		Package Content	1x Balance 20X
PepVPN Throughput (256-bit AES)	60Mbps		2x LTE Antennas (ACW-813 or ACW-234) 2x Dual Band Wi-Fi Antennas (ACW-341) 1x GPS Antenna (ACW-232)
Recommended Users	1-60	Wannanta	1x 12V 3A Power Supply (ACW-602)
Cellular Data Rate³ (Downlink/Uplink)	CAT-7: 300 Mbps / 150 Mbps CAT-4: 150 Mbps / 50 Mbps	Warranty	1-Year Limited Warranty

¹ Requires a PrimeCare subscription, complimentary for the first year.
² 2 PepVPN Peers are enabled by default. 5 PepVPN Peers are enabled with PrimeCare Subscription, complimentary for the first year.
³ Maximum theoretical data rates.

Balance 20X



Ordering Information

Product Code	Regions^	LTE Bands	3G Bands
BPL-021X-LTEA-US-T-PRM Embedded Modem(s): 1x CAT-7	North America* *US Carrier Certifications: AT&T, T-Mobile, Verizon, FirstNet	B2, B4, B5, B7, B12, B13, B14, B25, B26, B41, B42, B43, B48, B66, B71	HSPA+: B2, B4, B5
BPL-021X-LTE-E-T-PRM Embedded Modem(s): 1x CAT-4	APAC, EMEA	B1, B3, B5, B7, B8, B20, B38, B40, B41	WCDMA/HSPA+/DC-HSPA+: B1, B5, B8
BPL-021X-LTE-US-T-PRM Embedded Modem(s): 1x CAT-4	North America* *US Carrier Certifications: AT&T, T-Mobile, Verizon, US Cellular, FirstNet	B2, B4, B5, B12, B13, B14, B66, B71	B2, B5
BPL-021X-LTE-MX-T-PRM Embedded Modem(s): 1x CAT-4	Latin America, Australia	B1, B2, B3, B4, B5, B7, B8, B28, B40	WCDMA/HSPA+/DC-HSPA+: B1, B2, B5, B8

 $^{^{\}wedge}$ Regions are for reference only. For specific location compatibility, please refer to the bands.

Featured Add-on

Product Code	Description
PRM-BPL-021X-LTE-1Y	1 Year PrimeCare Subscription for Balance 20X
PRM-BPL-021X-LTE-2Y	2 Year PrimeCare Subscription for Balance 20X
PRM-BPL-021X-LTE-4Y	4 Year PrimeCare Subscription for Balance 20X
BPL-021X-LC-VWAN	Balance 20X Virtual WAN Activation License